

Quotation Notice

NCRMI invites sealed quotations from interested agencies for supply of Digital multifunction photocopier machine from interested firms/parties. The details are as follows.

The quotations shall reach Director, NCRMI on or before 12/07/2018 at 3 PM. The tender will be opened at NCRMI in the presence of the tenderers, if any present at 3.30 PM on 12/07/2018. The Director NCRMI reserves the right to accept or reject any or all the tender without assigning any reasons whatsoever. For further information, contact - The Director, NCRMI, Near Doordarsan Kendra, Kudappanakunnu, Trivandrum.(PH. 0471-2730788), during office hours on working days.

Sd/-

DIRECTOR

NCRMI

Specifications

Type of Machine	Multifunction Machine
Print Technology	Laser
Cartridge Technology	With separate Drum and Toner
Type of Printing	Mono
Platen/Flatbed Size	A3
Paper Size(Original /Image)	A3/A3
RAM size (MB)	512
Hard Disk Capacity (GB)	0
Minimum Speed per Minute in A4 Size - Mono(PPM)	23
Minimum Speed per Minute in A4 Size – colour(PPM)	0
Minimum Speed per Minute in A3 Size - Mono(PPM)	23
Minimum Speed per Minute in A3 Size - Colour(PPM)	0
Scanning Feature Availability	Yes
Deplexing Feature Availability	Yes
Networking Feature Availability	Yes

If Yes, Network interface	Ethernet 10/100
Faxing Feature Availability	No
Speed of Fax, If Fax Feature is Available	NA
Original Feed Type	Platen
Feeder capacity(Number)	0
Wi-Fi Capability	No
If Yes, Wi-Fi Type	NA
Number of Main Tray(Number)	1
Total Main Tray Capacity	250
Bypass Facility	Yes
Bypass Tray Capacity	100
Yield of the cartridge/Ink Tank/Ink PACK(for C, M, Y & K individually) supplied with machine(Number of prints)	17000 copies@5% coverage area
Life of Drum in terms of number of prints in case of separate Drum and Toner Cartridge technology(Number of prints)	70000 copies
Duty Cycle/Month (Number of prints)	15000
BIS Registration under CRS of Maity	Yes
BIS Registration Number	R- 41078832

Operating Temperature Range(Degree c)	70 degree celcius
Operating Humidity(%RH)	185
On Site OEM Warranty(Year)	1